




RUBBER FLOORING





Applications






» **MORE FROM YOUR FLOOR**



KEY FEATURES AND BENEFITS

- MATERIAL
- TOP LAYER: FINE-GRAIN EPDM COLOUR GRANULES, PU-ELASTOMER BONDED
- ELASTIC LAYER: FINE-GRAIN RECYCLED RUBBER TYRE GRANULES, PU-ELASTOMER BONDED
- ROLL WIDTH
- TOP LAYER: 1,250 MM (± 1.5%)
- ELASTIC LAYER: 1,500 MM (± 1.5%)
- THICKNESS
- TOP LAYER: 4 MM (± 0.3 MM)
- ELASTIC LAYER: SPORTEC® STANDARD
- STANDARD THICKNESSES (OTHER THICKNESSES AVAILABLE ON REQUEST)
- ROLL LENGTH
- TOP LAYER: 30 M (± 1.5%)
- ELASTIC LAYER: STANDARD LENGTHS
- (OTHER LENGTHS AVAILABLE ON REQUEST)





Applications



» ***MORE FROM YOUR FLOOR***




KEY FEATURES AND BENEFITS

- MATERIAL
- FINE-GRAIN EPDM COLOUR GRANULES,
- PU-ELASTOMER BONDED
- ROLL WIDTH
- 1,250 MM ($\pm 1.5\%$)
- THICKNESS
- 4 MM (± 0.3 MM)
- (OTHER THICKNESSES AVAILABLE ON
- REQUEST)
- ROLL LENGTH
- 30 M ($\pm 1.5\%$)





RUBBER FLOORING



Applications




» **MORE FROM YOUR FLOOR**



KEY FEATURES AND BENEFITS

- MATERIAL
- TOP LAYER: FINE-GRAIN EPDM COLOUR
- GRANULES, PU-ELASTOMER BONDED
- ELASTIC LAYER: FINE-GRAIN RECYCLED
- RUBBER TYRE GRANULES PU-ELASTOMER
- BONDED
- ROLL WIDTH
- 1,250 MM ($\pm 1.5\%$)
- THICKNESS
- 8 MM (± 0.6 MM)
- ROLL LENGTH
- 15 M ($\pm 1.5\%$)

ARTIFICIAL GRASS





KEY FEATURES AND BENEFITS


- SUPERIOR DURABILITY & STRENGTH: SPECIALLY ENGINEERED TO ENDURE INTENSIVE, CONTINUOUS USE IN SPORTS FACILITIES AND HIGH-TRAFFIC ZONES WITHOUT RAPID WEAR AND TEAR.
- BALANCED DENSITY & NATURAL APPEARANCE: INTERLOCKING FIBRILLATED YARN PROVIDES EXCELLENT TURF DENSITY, ENSURING AN EVEN AND STABLE SURFACE FOR PLAYER MOVEMENT AND BALL ROLL.
- WEATHER & UV RESISTANCE: MANUFACTURED WITH HIGH-QUALITY UV-RESISTANT MATERIALS TO GUARANTEE THE BRIGHT GREEN COLOR REMAINS VIBRANT AND RESISTS FADING UNDER INTENSE SUNLIGHT.
- EFFICIENT DRAINAGE SYSTEM: FEATURES AN ENGINEERED BACKING LAYER THAT ENSURES RAPID DRAINAGE OF RAINWATER, PREVENTING PUDDLING AND MAKING THE SURFACE READY FOR PLAY SHORTLY AFTER PRECIPITATION.
- VERSATILE APPLICATIONS: HIGHLY ADAPTABLE FOR A WIDE RANGE OF SPORTS AND ACTIVITIES, INCLUDING FOOTBALL, TENNIS, MULTI-PURPOSE FIELDS, AND RECREATIONAL PERIMETERS.



Applications



» ***MORE FROM YOUR FLOOR***



KEY FEATURES AND BENEFITS


- MATERIAL
- A MIXTURE OF BLACK RECYCLING RUBBER
- GRANULES BONDED WITH POLYURETHANE
- ELASTOMER
- ROLL WIDTH
- 1,250 MM (± 1.5%)
- ROLL LENGTH [M]
- / THICKNESS
- [MM]
- 45/8, 36/10, 30/12, 24/15 (± 1.5%)
- TENSILE
- STRENGTH
- MIN. 0.2 N/MM² (EN ISO 1798)
- ELONGATION AT
- BREAK



Applications



» ***MORE FROM YOUR FLOOR***



KEY FEATURES AND BENEFITS

- MATERIAL
- RECYCLED TYRE FIBRES BONDED WITH
- POLYURETHANE ELASTOMER
- ROLL WIDTH
- 1,500 MM (± 1.5%)
- ROLL LENGTH [M]
- / THICKNESS
- [MM]
- 40/8, 31/10, 26/12 (± 1.5%)
- TENSILE
- STRENGTH
- MIN. 0.6 N/MM² (EN ISO 1798)
- ELONGATION AT
- BREAK
-

ACRYLIC FLOORING






ACRYLIC FLOORING



KEY FEATURES AND BENEFITS

- SEAMLESS & MONOLITHIC APPLICATION: APPLIED AS A LIQUID SYSTEM THAT FORMS A SMOOTH, SEAMLESS, AND UNIFORM PLAYING SURFACE, ELIMINATING JOINTS OR WEAK POINTS.
- DIRECT APPLICATION ON SOLID BASES: CAN BE INSTALLED QUICKLY AND EFFICIENTLY DIRECTLY OVER PROPERLY PREPARED ASPHALT OR REINFORCED CONCRETE SUBSTRATES.
- MULTI-LAYER SYSTEM: BUILT THROUGH A STRUCTURED APPLICATION OF SPECIALIZED LAYERS (PRIMER, RESURFACER, CUSHION COATS, AND COLOR COATINGS) TO ENSURE MAXIMUM STRUCTURAL INTEGRITY AND BONDING.
- FAST CURING & TURNAROUND: FEATURES A RELATIVELY QUICK DRYING AND CURING PROCESS, ALLOWING COURTS TO BE READY FOR LINE MARKING AND PLAY IN A SHORT TIMEFRAME.
- LOW MAINTENANCE & EASY REPAIR: SIMPLE TO CLEAN, MAINTAIN, AND RECOAT OVER TIME WITHOUT THE NEED FOR COMPLEX REMOVAL PROCEDURES, ENSURING LONG-TERM USABILITY.





KEY FEATURES AND BENEFITS

- **HIGH DURABILITY & LONGEVITY:** ENGINEERED TO WITHSTAND HEAVY FOOT TRAFFIC, INTENSE ATHLETIC ACTIVITIES, AND EXTREME WEATHER CONDITIONS WITHOUT CRACKING OR PEELING.
- **OPTIMAL SLIP RESISTANCE:** THE TEXTURED, SPECIALIZED SURFACE PROVIDES EXCELLENT GRIP AND TRACTION FOR ATHLETES, SIGNIFICANTLY REDUCING THE RISK OF SLIPS AND INJURIES.
- **SHOCK ABSORPTION & PLAYER COMFORT:** FEATURES A MULTI-LAYERED CUSHION SYSTEM THAT MINIMIZES JOINT IMPACT AND MUSCLE FATIGUE, ENSURING MAXIMUM COMFORT DURING GAMEPLAY.
- **CONSISTENT BALL BOUNCE:** DELIVERS A UNIFORM AND PREDICTABLE BALL REBOUND ACROSS THE ENTIRE SURFACE, MAKING IT IDEAL FOR PROFESSIONAL BASKETBALL, TENNIS, AND MULTI-PURPOSE COURTS.





FITNESS UNION

ACRYLIC FLOORING



DURABLE
Resists heavy use and harsh weather conditions



SAFE PLAY
Slip-resistant surface for maximum safety




UV RESISTANT
Maintains color and quality over time



EXCELLENT DRAINAGE
Keeps the surface dry and playable



VIBRANT COLORS
Enhances the look of any sports facility



LOW MAINTENANCE
Cost-effective and long lasting




Tennis Courts



Basketball Courts



Multi-Sport Courts




Volleyball Courts





Running Tracks

CORK FLOORING





CORK FLOORING




Safe raw materials



Anti-slip and anti-fall



Flexible and comfortable




Learn to crawl



Waterproof and moistureproof



Reduce noise




Wash directly




Free cut




10mm thickness



Anti slip surface



Waterproof and easy to clean




KEY FEATURES AND BENEFITS

- **SAFE RAW MATERIALS:** MADE FROM SAFE AND NON-TOXIC RAW MATERIALS.
- **ANTI-SLIP AND ANTI-FALL:** DESIGNED TO PREVENT SLIPPING AND PROTECT AGAINST FALLS.
- **FLEXIBLE AND COMFORTABLE:** OFFERS A FLEXIBLE AND COMFORTABLE SURFACE FOR VARIOUS USES.
- **LEARN TO CRAWL:** SUITABLE FOR CHILDREN'S ACTIVITIES AND LEARNING TO CRAWL SAFELY.
- **WATERPROOF AND MOISTUREPROOF:** EFFECTIVELY RESISTS WATER AND MOISTURE.
- **REDUCE NOISE:** HELPS DAMPEN AND REDUCE UNWANTED NOISE.
- **WASH DIRECTLY:** CAN BE WASHED DIRECTLY WITH WATER FOR EASY CLEANING.
- **FREE CUT:** CAN BE FREELY CUT AND TRIMMED TO FIT ANY SPACE.
- **10MM THICKNESS:** FEATURES A PRECISE 10MM THICKNESS.
- **ANTI-SLIP SURFACE:** DESIGNED WITH A TEXTURED ANTI-SLIP SURFACE PATTERN.
- **WATERPROOF AND EASY TO CLEAN:** SURFACE IS FULLY WATERPROOF AND SIMPLE TO WIPE CLEAN.




CORK FLOORING



KEY FEATURES AND BENEFITS


- EASY PORTABILITY: LIGHTWEIGHT STRUCTURE ALLOWS THE TILES TO BE STACKED, TRANSPORTED, AND STORED EFFORTLESSLY WHEN NOT IN USE
- ACOUSTIC INSULATION: HIGH-DENSITY STRUCTURE DAMPENS SOUND, REDUCING NOISE FROM DROPPED WEIGHTS AND FOOTSTEPS IN MULTI-STORY BUILDINGS
- THERMAL INSULATION: PROVIDES A COMFORTABLE THERMAL BARRIER AGAINST COLD CONCRETE SUBFLOORS, MAKING IT IDEAL FOR FLOOR-BASED STRETCHING AND CORE WORKOUTS
- CUSTOMIZABLE LAYOUTS: INTERLOCKING BORDERS CAN BE EASILY TRIMMED WITH A UTILITY KNIFE TO FIT CUSTOM ROOM DIMENSIONS AND CORNERS PERFECTLY
- SKIN-FRIENDLY SURFACE: SOFT, NON-ABRASIVE TOP LAYER PREVENTS FRICTION BURNS DURING FLOOR EXERCISES, MARTIAL ARTS, OR GYMNASTICS

FLEXIBLE AND STRONG






CORK FLOORING



KEY FEATURES AND BENEFITS


- PRODUCT TYPE: INTERLOCKING PUZZLE TILES DESIGNED FOR FITNESS, MARTIAL ARTS, PLAY AREAS, AND MULTI-PURPOSE GYMS.
- INTERLOCKING DESIGN: PUZZLE-EDGE DESIGN ALLOWS FOR EASY, GLUE-FREE INSTALLATION, QUICK DISASSEMBLY, AND FLEXIBLE RECONFIGURATION.
- SHOCK ABSORPTION: HIGH-DENSITY CUSHIONING ABSORBS IMPACT EFFECTIVELY, PROTECTING JOINTS DURING HIGH-INTENSITY TRAINING OR FLOOR EXERCISES.
- MATERIAL COMPOSITION: LIGHTWEIGHT YET DURABLE EVA FOAM OR HYBRID ELASTOMERIC MATERIAL THAT RESISTS DAILY WEAR AND TEAR.
- SURFACE TEXTURE: NON-SLIP, TEXTURED TOP PATTERN PROVIDES ENHANCED GRIP AND TRACTION TO PREVENT SLIPPING DURING WORKOUTS.
- EASY MAINTENANCE: WATERPROOF AND SWEAT-RESISTANT SURFACE THAT CAN BE CLEANED QUICKLY WITH A DAMP CLOTH.
-

FLEXIBLE AND STRONG



VINYL FLOORING





 Safe raw materials	 Anti-slip and anti-fall	 Flexible and comfortable	 Learn to crawl
 Waterproof and moistureproof	 Reduce noise	 Wash directly	 Free cut

MORE LAYERS FOR BETTER QUALITY

KEY FEATURES AND BENEFITS

- **ADVANCED UV COATING:** HIGH-GRADE PROTECTIVE LAYER PREVENTS FADING FROM SUNLIGHT EXPOSURE, RESISTS HARSH WEATHER ELEMENTS, AND PROTECTS AGAINST OUTDOORENVIRONMENTAL DAMAGE.
- **RIGID COMPOSITE CORE:** FEATURES A STRONG ALUMINUM-FACED COMPOSITE STRUCTURE THAT ENSURES MAXIMUM RIGIDITY, IMPACT RESISTANCE, AND LONG-TERM DURABILITY.
- **WEATHERPROOF BONDING:** INDUSTRIAL-GRADE EXTERIOR LAMINATION TECHNOLOGY WITHSTANDS EXTREME TEMPERATURE FLUCTUATIONS WITHOUT DELAMINATING OR WARPING.
- **CORROSION RESISTANCE:** SPECIALLY TREATED METALLIC SURFACE LAYERS PREVENT RUST AND OXIDATION, MAKING IT SUITABLE FOR DEMANDING OUTDOOR ARCHITECTURAL AND SIGNAGEAPPLICATIONS.
- **LIGHTWEIGHT RIGIDITY:** COMBINES HIGH STRUCTURAL STRENGTH WITH A LIGHTWEIGHT PANEL COMPOSITION, ALLOWING FOR EASY HANDLING, CUTTING, AND INSTALLATION.
- **LOW THERMAL EXPANSION:** ENGINEERED TO MINIMIZE EXPANSION AND CONTRACTION CAUSED BY SEASONAL CLIMATE SHIFTS, ENSURING SEAMLESS ALIGNMENT OVER TIME.






VINYL FLOORING




KEY FEATURES AND BENEFITS

- MULTI-LAYER STRUCTURE: ENGINEERED WITH MULTIPLE SPECIALIZED FUNCTIONAL LAYERS, INCLUDING A SHOCK-ABSORBING BASE MAT AND PERFORMANCE TOP COATINGS.
- SHOCK ABSORPTION BASE: FEATURES A RESILIENT UNDERLAYER DESIGNED TO ABSORB HEAVY IMPACTS, PROTECT JOINTS, AND REDUCE ATHLETE FATIGUE.
- DURABLE SURFACE COATING: PREMIUM TOP FINISH PROVIDES EXCELLENT WEAR RESISTANCE, UNIFORM BALL BOUNCE, AND LONG-LASTING PERFORMANCE.
- MULTI-PURPOSE APPLICATION: IDEAL FOR INDOOR SPORTS HALLS, MULTI-USE GYMNASIUMS, BASKETBALL COURTS, AND TRAINING FACILITIES.
- WEATHER & UV RESISTANCE: BUILT TO WITHSTAND INTENSIVE DAILY USE WHILE MAINTAINING STRUCTURAL INTEGRITY AND COLOR STABILITY.
- SEAMLESS PERFORMANCE: DESIGNED TO OFFER A CONSISTENT PLAYING SURFACE WITH OPTIMAL FRICTION AND ANTI-SLIP PROPERTIES.

MORE LAYERS FOR BETTER QUALITY





KEY FEATURES AND BENEFITS

- **HIGH WEAR LAYER:** HEAVY-DUTY PROTECTIVE SURFACE COATING ENSURES EXCEPTIONAL RESISTANCE AGAINST SCRATCHES, SCUFFS, AND HIGH FOOT TRAFFIC.
- **DIMENSIONAL STABILITY:** ADVANCED FIBERGLASS REINFORCEMENT LAYER PREVENTS WARPING, SHRINKING, OR EXPANDING UNDER TEMPERATURE CHANGES.
- **HYGIENIC & ANTI-BACTERIAL:** SEAMLESS, NON-POROUS SURFACE INHIBITS BACTERIAL GROWTH AND MAKES DAILY DISINFECTION FAST AND EASY.
- **FORCE REDUCTION TECHNOLOGY:** PROVIDES OPTIMAL ENERGY RETURN AND SHOCK MITIGATION TO PROTECT ATHLETES' JOINTS DURING FAST-PACED MOVEMENTS.
- **LOW MAINTENANCE COST:** UV-CURED SURFACE TREATMENT ELIMINATES THE NEED FOR STRIPPING OR HEAVY POLISHING, REDUCING LONG-TERM UPKEEP.
- **OPTIMAL BALL BOUNCE:** PRECISION-CALIBRATED ELASTICITY ENSURES CONSISTENT AND NATURAL BALL RESPONSE FOR INDOOR COURT SPORTS.

MORE LAYERS FOR BETTER QUALITY

KEY FEATURES AND BENEFITS

- **ADVANCED UV COATING:** HIGH-GRADE PROTECTIVE LAYER PREVENTS FADING FROM SUNLIGHT EXPOSURE, RESISTS HARSH WEATHER ELEMENTS, AND PROTECTS AGAINST OUTDOOR ENVIRONMENTAL DAMAGE.
- **RIGID COMPOSITE CORE:** FEATURES A STRONG ALUMINUM-FACED COMPOSITE STRUCTURE THAT ENSURES MAXIMUM RIGIDITY, IMPACT RESISTANCE, AND LONG-TERM DURABILITY.
- **WEATHERPROOF BONDING:** INDUSTRIAL-GRADE EXTERIOR LAMINATION TECHNOLOGY WITHSTANDS EXTREME TEMPERATURE FLUCTUATIONS WITHOUT DELAMINATING OR WARPING.
- **CORROSION RESISTANCE:** SPECIALLY TREATED METALLIC SURFACE LAYERS PREVENT RUST AND OXIDATION, MAKING IT SUITABLE FOR DEMANDING OUTDOOR ARCHITECTURAL AND SIGNAGE APPLICATIONS.
- **LIGHTWEIGHT RIGIDITY:** COMBINES HIGH STRUCTURAL STRENGTH WITH A LIGHTWEIGHT PANEL COMPOSITION, ALLOWING FOR EASY HANDLING, CUTTING, AND INSTALLATION.
- **LOW THERMAL EXPANSION:** ENGINEERED TO MINIMIZE EXPANSION AND CONTRACTION CAUSED BY SEASONAL CLIMATE SHIFTS, ENSURING SEAMLESS ALIGNMENT OVER TIME.

